

Les données : Interrogation de la base de données → Le langage S.Q.L

Exercice 1 :

SELECT NumeClie, NomeClie, TeleClie FROM client;				
<input type="checkbox"/> Profilage [Éditer en ligne] [Éditer] [Expliquer SQL] [Créer le code source]				
<input type="checkbox"/> Tout afficher Nombre de lignes : 25 ▾ Filtrer les lignes: Chercher dans				
Options supplémentaires				
← T →	▼ NumeClie	NomeClie	TeleClie	
<input type="checkbox"/>	Éditer Copier Supprimer	100001	Digit Equipment	0493564578
<input type="checkbox"/>	Éditer Copier Supprimer	100002	F.D.T	0493564545
<input type="checkbox"/>	Éditer Copier Supprimer	100010	Ecole Pugier	0493656562
<input type="checkbox"/>	Éditer Copier Supprimer	100011	Forum Immobilier	0493252525
<input type="checkbox"/>	Éditer Copier Supprimer	100020	Habitable	0493565656
<input type="checkbox"/>	Éditer Copier Supprimer	200005	Lycée Victor Hugo	NULL
<input type="checkbox"/>	Éditer Copier Supprimer	300010	A.R.T	0494562154

Exercice 2 :

SELECT Refeprod, DesiProd FROM produit;				
<input type="checkbox"/> Profilage [Éditer en ligne] [Éditer] [Expliquer SQL] [Créer le code source]				
<input type="checkbox"/> Tout afficher Nombre de lignes : 25 ▾ Filtrer les lignes: Chercher dans				
Options supplémentaires				
← T →	▼ Refeprod	DesiProd		
<input type="checkbox"/>	Éditer Copier Supprimer	10001	Home Works	
<input type="checkbox"/>	Éditer Copier Supprimer	10003	Home Organizer	
<input type="checkbox"/>	Éditer Copier Supprimer	10005	Home Navigator	
<input type="checkbox"/>	Éditer Copier Supprimer	20001	Home Jet 1	
<input type="checkbox"/>	Éditer Copier Supprimer	20002	Home Jet 2	
<input type="checkbox"/>	Éditer Copier Supprimer	20005	Home Laser 4/600	
<input type="checkbox"/>	Éditer Copier Supprimer	20010	Home Laser 4/300	
<input type="checkbox"/>	Éditer Copier Supprimer	30003	Home Power 500	
<input type="checkbox"/>	Éditer Copier Supprimer	30005	Home Power 1000	
<input type="checkbox"/>	Éditer Copier Supprimer	30006	Home Power 1100 8/500	
<input type="checkbox"/>	Éditer Copier Supprimer	30007	Home Power 1000 16/800	
<input type="checkbox"/>	Éditer Copier Supprimer	30009	Home Power 3000	

exercice 3 :

SELECT Numefact, DateFact FROM facture ORDER by DateFact;			
<input type="checkbox"/> Profilage [Éditer en ligne] [Éditer] [Expliquer SQL] [Créer le code source]			
<input type="checkbox"/> Tout afficher		Nombre de lignes :	25 <input type="button" value="▼"/>
Filtrer les lignes: Chercher dans			
Options supplémentaires			
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96001 2019-01-01
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96002 2019-01-01
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96006 2019-01-20
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96007 2019-01-22
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96008 2019-01-22
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96009 2019-01-25
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96010 2019-01-28
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96003 2019-02-01
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96004 2019-05-01
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>
			96005 2019-10-01

exercice 4 :

<input checked="" type="checkbox"/> Affichage des lignes 0 - 6 (total de 7, traitement en 0,0009 seconde(s).)								
SELECT RefeProd, DesiProd,PuhtProd, TtvaProd, QtesProd FROM produit WHERE QtesProd >= 10;								
<input type="checkbox"/> Profilage [Éditer en ligne] [Éditer] [Expliquer SQL] [Créer le code source PHP] [Actualiser]								
<input type="checkbox"/> Tout afficher								
Nombre de lignes : 25 <input type="button" value="▼"/>								
Filtrer les lignes: Chercher dans cette table								
Trier par:								
Options supplémentaires								
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>	RefeProd	DesiProd	PuhtProd	TtvaProd	QtesProd
				10003	Home Organizer	91.47	20	15
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>	20010	Home Laser 4/300	914.69	20	10
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>	2003	Home Jet 3	712	20	10
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>	30003	Home Power 500	1219.59	20	20
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>	30005	Home Power 1000	1829.39	20	50
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>	30006	Home Power 1100 8/500	2362.96	20	10
<input type="checkbox"/>	<input type="button" value="Éditer"/>	<input type="button" value="Copier"/>	<input type="button" value="Supprimer"/>	30009	Home Power 3000	3811.23	20	10

exercice 5 :

✓ Affichage des lignes 0 - 2 (total de 3, traitement en 0,0003 seconde(s).)

```
SELECT Numeclie, nomeclie, adreclie, codpClie, VillClie, teleclie, numeRepr FROM client
WHERE VillClie = 'nice';
```

Profilage [Éditer en ligne] [Éditer] [Expliquer SQL] [Créer le code source PHP] [Actualiser]

Tout afficher | Nombre de lignes : 25 ▾ Filtrer les lignes: Chercher dans cette table Trier par c

Options supplémentaires

Numeclie	nomeclie	adreclie	codpClie	VillClie	teleclie
100002	F.D.T	888 rue d'Italie	06000	Nice	0493512347
100010	Ecole Pugier	10, av J Médecin	06200	Nice	0493656562
100020	Habitable	2, av de Valbonne	06200	Nice	0493565656

exercice 6 :

✓ Affichage des lignes 0 - 1 (total de 2, traitement en 0,0002 seconde(s).)

```
SELECT NumeRepr, nomeRepr, PrenRepr, AdreRepr, CodpRepr, Villrepr FROM representant WHERE
CodpRepr = '83600';
```

Profilage [Éditer en ligne] [Éditer] [Expliquer SQL] [Créer le code source PHP] [Actualiser]

Tout afficher | Nombre de lignes : 25 ▾ Filtrer les lignes: Chercher dans cette table Trier par clé

Options supplémentaires

NumeRepr	nomeRepr	PrenRepr	AdreRepr	CodpRepr	Villrep
1	Durant	Patrick	56, Av du Lycée	83600	Fréjus
4	Carrere	Julien	94 rue Gustave Bret	83600	Fréjus

↑ Tout cocher Avec la sélection : Éditer Copier Supprimer Exporter

exercice 7 :

```
SELECT Refeprod, DesiProd, puhtProd, Ttvaprod, QtesProd FROM produit WHERE puhtProd
>= 1600;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key:

Extra options

	Refeprod	DesiProd	puhtProd	Ttvaprod	QtesProd
<input type="checkbox"/>	Edit Copy Delete 30005	Home Power 1000	1829.39	20	50
<input type="checkbox"/>	Edit Copy Delete 30006	Home Power 1100 8/500	2362.96	20	10
<input type="checkbox"/>	Edit Copy Delete 30007	Home Power 1000 16/800	2850.8	20	5
<input type="checkbox"/>	Edit Copy Delete 30009	Home Power 3000	3811.23	20	10

Ex 8 :

```
SELECT Numefact, DateFact, Numeclie FROM facture WHERE DateFact > '2019-01-21' ORDER
BY DateFact;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key:

Extra options

	Numefact	DateFact	Numeclie
<input type="checkbox"/>	Edit Copy Delete 96007	2019-01-22	300010
<input type="checkbox"/>	Edit Copy Delete 96008	2019-01-22	200005
<input type="checkbox"/>	Edit Copy Delete 96009	2019-01-25	100011
<input type="checkbox"/>	Edit Copy Delete 96010	2019-01-28	200005
<input type="checkbox"/>	Edit Copy Delete 96003	2019-02-01	100002
<input type="checkbox"/>	Edit Copy Delete 96004	2019-05-01	100001
<input type="checkbox"/>	Edit Copy Delete 96005	2019-10-01	300010

Ex9 :

Showing rows 0 - 1 (2 total, Query took 0.0008 seconds.)

```
SELECT Numefact, QteFUrer, Refeprod FROM facturer WHERE Refeprod = 10003 ORDER BY Numefact;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by I

Extra options

		Numefact	QteFUrer	Refeprod
<input type="checkbox"/>	Edit Copy Delete	96001	2	10003
<input type="checkbox"/>	Edit Copy Delete	96003	2	10003

Ex10:

```
SELECT * FROM produit WHERE QtesProd <= 10 AND PuhtProd > 1600;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	REFEPROWD	DESIPROD	PUHTPROD	TTVAPROD	QTESPROD
<input type="checkbox"/>	Edit Copy Delete	30006	Home Power 1100 8/500	2362.96	20 10
<input type="checkbox"/>	Edit Copy Delete	30007	Home Power 1000 16/800	2850.8	20 5
<input type="checkbox"/>	Edit Copy Delete	30009	Home Power 3000	3811.23	20 10

Ex11:

```
SELECT * FROM client WHERE VillClie = 'Nice' OR VillClie = 'Valbonne';
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	NUMECLIE	NOMECLIE	ADRECLIE	CODPCLIE	VILLCLIE	TELECLIE
<input type="checkbox"/>	Edit Copy Delete	100001	Digit Equipement	25, rue des Pins	06200	Valbonne 0493564578
<input type="checkbox"/>	Edit Copy Delete	100002	F.D.T	10, Impasse de la Poste	06000	Nice 0493564545
<input type="checkbox"/>	Edit Copy Delete	100010	Ecole Pugier	10, av J Médecin	06200	Nice 0493656562
<input type="checkbox"/>	Edit Copy Delete	100011	Forum Immobilier	5, Av de Grasse	06500	Valbonne 0493252525
<input type="checkbox"/>	Edit Copy Delete	100020	Habitable	2, av de Valbonne	06200	Nice 0493565656

Ex12:

```
SELECT Numefact, Refeprod FROM facturer where RefeProd = 30009;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code]

Show all | Number of rows: 25 Filter rows: Search this table

Extra options

Numefact	Refeprod
96007	30009
96008	30009

Ex13 :

```
SELECT RefeProd, QtesProd From produit WHERE QtesProd <= 5 ORDER BY QtesProd DESC;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Full page]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: N

Extra options

RefeProd	QtesProd
30007	5
20005	3
10005	2
20002	2

Ex14 :

```
SELECT Numefact, Refeprod FROM facturer Where RefeProd = 30009 OR RefeProd = 10003;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key

Extra options

Numefact	Refeprod
96001	10003
96003	10003
96007	30009
96008	30009

Ex15:

SELECT *, NomeRepr, VillRepr FROM client inner join representant on representant.NUMEREPR = CLIENT.NUMEREPR;

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

NUMECLIE	NOMECLIE	ADRECLIE	CODPCLIE	VILLCLIE	TELECLIE	NUMEREPR	NUMEREPR	NOMEREPR
I00001	Digit Equipement	25, rue des Pins	06200	Valbonne	0493564578	2	2	Dupont
I00002	F.D.T	10, Impasse de la Poste	06000	Nice	0493564545	2	2	Dupont
I00010	Ecole Pugier	10, av J Médecin	06200	Nice	0493656562	2	2	Dupont
I00011	Forum Immobilier	5, Av de Grasse	06500	Valbonne	0493252525	2	2	Dupont
I00020	Habitable	2, av de Valbonne	06200	Nice	0493565656	2	2	Dupont
I00005	Lycée Victor Hugo	Bd Desplaces	13001	Marseille	NULL	3	3	Richard
I00010	A.R.T	20, rue de la mer	83000	Toulon	0494562154	3	3	Richard

Show all | Number of rows: 25 Filter rows: Search this table Sort by key: None

Ex16:

SELECT facture.NumeFact, datefact, client.NomeClie FROM facture inner join client;

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

1 < > >> | Show all | Number of rows: 25 Filter rows: Search this table

Extra options

NumeFact	datefact	NomeClie
I6001	2019-01-01	A.R.T
I6001	2019-01-01	Lycée Victor Hugo
I6001	2019-01-01	Habitable
I6001	2019-01-01	Forum Immobilier
I6001	2019-01-01	Ecole Pugier
I6001	2019-01-01	F.D.T
I6001	2019-01-01	Digit Equipement
I6002	2019-01-01	A.R.T
I6002	2019-01-01	Lycée Victor Hugo
I6002	2019-01-01	Habitable
I6002	2019-01-01	Forum Immobilier
I6002	2019-01-01	Ecole Pugier
I6002	2019-01-01	F.D.T
I6002	2019-01-01	Digit Equipement

Ex17 :

```
SELECT datefact, client.NUMECLIE, produit.REFEPROD FROM facture inner join client  
inner join produit;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

1 < > >> | Number of rows: 25

Filter rows: Search this table

Sort by key:

Extra options

datefact	NUMECLIE	REFEPROD
2019-01-28	100001	10001
2019-01-28	100002	10001
2019-01-28	100010	10001
2019-01-28	100011	10001
2019-01-28	100020	10001
2019-01-28	200005	10001
2019-01-28	300010	10001
2019-01-25	100001	10001
2019-01-25	100002	10001
2019-01-25	100010	10001

Ex18:

```
SELECT produit.refeprod, produit.PuhtProd, facturer.QteFUrer FROM produit inner join  
facturer on produit.refeprod = facturer.REFEPROD where QteFUrer > 4;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25

Filter rows: Search this table

Sort by key:

Extra options

refeprod	PuhtProd	QteFUrer
10001	121.96	5
30003	1219.59	5
10001	121.96	15
30009	3811.23	5
20010	914.69	5

Ex19 :

SELECT client.NUMECLIE, client.nomeclie, representant.NOMEREPR FROM client inner join representant where nomerepr = 'dupont' ORDER BY NomeClie;		
<input type="checkbox"/> Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]		
<input type="checkbox"/> Show all Number of rows: 25 <input type="button" value="▼"/> Filter rows: <input type="text" value="Search this table"/> Sort by key:		
Extra options		
NUMECLIE	nomeclie	NOMEREPR
300010	A.R.T	Dupont
100001	Digit Equipement	Dupont
100010	Ecole Pugier	Dupont
100002	F.D.T	Dupont
100011	Forum Immobilier	Dupont
100020	Habitable	Dupont
200005	Lycée Victor Hugo	Dupont

Ex20 :

SELECT numefact, (QteFurer*PuhtUrer) from facturer;				
<input type="checkbox"/> Profiling [Edit inline] [Edit] [Explain SQL]				
<input type="checkbox"/> Show all Number of rows: 25 <input type="button" value="▼"/> Filter rows: <input type="text" value="Search this table"/>				
Extra options				
← T →	▼	numefact	(QteFurer*PuhtUrer)	
<input type="checkbox"/>	<input type="button" value="Edit"/>	<input type="button" value="Copy"/>	<input type="button" value="Delete"/>	96001 152.4499969482422
<input type="checkbox"/>	<input type="button" value="Edit"/>	<input type="button" value="Copy"/>	<input type="button" value="Delete"/>	96001 182.94000244140625
<input type="checkbox"/>	<input type="button" value="Edit"/>	<input type="button" value="Copy"/>	<input type="button" value="Delete"/>	96002 1372.0400390625
<input type="checkbox"/>	<input type="button" value="Edit"/>	<input type="button" value="Copy"/>	<input type="button" value="Delete"/>	96003 182.94000244140625
<input type="checkbox"/>	<input type="button" value="Edit"/>	<input type="button" value="Copy"/>	<input type="button" value="Delete"/>	96003 1219.5999755859375
<input type="checkbox"/>	<input type="button" value="Edit"/>	<input type="button" value="Copy"/>	<input type="button" value="Delete"/>	96003 4878.35986328125

Ex21:

```
SELECT NomeRepr, PrenRepr, datefact FROM representant inner join facture WHERE  
datefact = '2019-05-01';
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 ▾ Filter rows: Search this table Sort by key:

Extra options

NomeRepr	PrenRepr	datefact
Durant	Patrick	2019-05-01
Dupont	Eric	2019-05-01
Richard	Bernard	2019-05-01

Ex22 :

```
SELECT produit.Refeprod, desiprod, facture.numeclie FROM produit inner join facturer  
on produit.REFEPROD = facturer.REFEPROD inner join facture on facture.numefact =  
facturer.numefact inner join client on client.numeclie = facture.numeclie where  
facture.numeclie = 100011;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 ▾ Filter rows: Search this table Sort by key:

Extra options

Refeprod	desiprod	numeclie
10001	Home Works	100011
20010	Home Laser 4/300	100011

Ex23 :

Showing rows 0 - 3 (4 total, Query took 0.0007 seconds.)

```
SELECT facture.numeclie, PuhtUrer FROM facture inner join facturer on  
facturer.numefact = facture.numefact WHERE PuhtUrer >= 1500;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create]

Show all

Number of rows:

25

Filter rows:

Search this table

Extra options

numeclie	PuhtUrer
100002	2439.18
100001	2850.8
300010	4116.12
200005	3811.23

Ex24:

Showing rows 0 - 3 (4 total, Query took 0.0018 seconds.)

```
SELECT nomeclie, villclie, facture.numefact, datefact, refeprod FROM CLIENT inner join  
facture on facture.numeclie = client.numeclie inner join facturer on facturer.numefact  
= facture.numefact where refeprod = 10001;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all

Number of rows:

25

Filter rows:

Search this table

Sort by key:

Extra options

nomeclie	villclie	numefact	datefact	refeprod
A.R.T	Toulon	96001	2019-01-01	10001
A.R.T	Toulon	96005	2019-10-01	10001
Forum Immobilier	Valbonne	96006	2019-01-20	10001
Lycée Victor Hugo	Marseille	96010	2019-01-28	10001

Ex25:

`select facturer.refeprod, avg(PuhtUrer) FROM facturer group by refeprod;`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code]

Show all | Number of rows: 25 ▾ Filter rows: Search this table

Extra options

		refeprod	avg(PuhtUrer)
<input type="checkbox"/>	 Edit  Copy  Delete	10001	129.58249855041504
<input type="checkbox"/>	 Edit  Copy  Delete	10003	91.47000122070312
<input type="checkbox"/>	 Edit  Copy  Delete	20002	609.7999877929688
<input type="checkbox"/>	 Edit  Copy  Delete	20005	1372.0400390625
<input type="checkbox"/>	 Edit  Copy  Delete	20010	914.6900024414062
<input type="checkbox"/>	 Edit  Copy  Delete	30003	1219.5899658203125
<input type="checkbox"/>	 Edit  Copy  Delete	30006	2439.179931640625
<input type="checkbox"/>	 Edit  Copy  Delete	30007	2850.800048828125
<input type="checkbox"/>	 Edit  Copy  Delete	30009	3963.675048828125

Ex26:

`SELECT representant.NumeRepr, Nomerepr, PrenRepr, count(nomeclie) from representant inner join client group by numerepr;`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 ▾ Filter rows: Search this table Sort by key

Extra options

NumeRepr	Nomerepr	PrenRepr	count(nomeclie)
3	Richard	Bernard	7
2	Dupont	Eric	7
1	Durant	Patrick	7

Ex27:

```
SELECT nomeclie from client where teleclie is null;
```

Profiling [Edit inline] [Edit] [E]

Show all | Number of rows: 25 Filter rows: []

Extra options

← T → nomeclie

 Edit  Copy  Delete Lycée Victor Hugo

28:

```
SELECT nomeclie, SUM(puhtUrer*QtefUrer) from client inner join facture on
client.numeclie = facture.numeclie inner join facturer on facture.numefact =
facturer.numefact group by nomeclie having sum(puhturer*qtefuruer) > 5000;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code]

Show all | Number of rows: 25 Filter rows: [Search this table]

Extra options

nomeclie	SUM(puhtUrer*QtefUrer)
F.D.T	6280.899841308594
Forum Immobilier	6402.849998474121
Lycée Victor Hugo	22684.409950256348
A.R.T	27623.740409851074

29:

```
select NUMEFACT, sum(PUHTURER*QTEFURER) as tot from facturer group by NUMEFACT HAVING sum(PUHTURER*QTEFURER) > 500;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key:

Extra options

		NUMEFACT	tot
<input type="checkbox"/>	 Edit  Copy  Delete	96002	1372.0400380625
<input type="checkbox"/>	 Edit  Copy  Delete	96003	6280.899841308594
<input type="checkbox"/>	 Edit  Copy  Delete	96004	2850.800048828125
<input type="checkbox"/>	 Edit  Copy  Delete	96005	6707.749824523926
<input type="checkbox"/>	 Edit  Copy  Delete	96006	1829.3999862670898
<input type="checkbox"/>	 Edit  Copy  Delete	96007	20580.6005859375
<input type="checkbox"/>	 Edit  Copy  Delete	96008	21952.649963378906
<input type="checkbox"/>	 Edit  Copy  Delete	96009	4573.450012207031
<input type="checkbox"/>	 Edit  Copy  Delete	96010	731.7599868774414

30:

```
select NUMEFACT, facturer.REFEPROD, qtefurer from facturer where REFEPROD = 10001 and QTEFURER > 2;
```

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all | Number of rows: 25 Filter rows: Search this table Sort by key:

Extra options

		NUMEFACT	REFEPROD	qtefurer
<input type="checkbox"/>	 Edit  Copy  Delete	96005	10001	5
<input type="checkbox"/>	 Edit  Copy  Delete	96006	10001	15